EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("20050259244").PN.	US-PGPUB	OR	OFF	2008/08/03 13:21
L2	3	(("6337491") or ("5589026") or ("20040208497")).PN.	US-PGPUB; USPAT	OR	OFF	2008/08/03 13:21
L3	34	(automobile with windshield) and (video with alignment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/03 13:21
L4	83	(automobile with windshield) and (sensor with alignment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/03 13:21
L5	1067	(348/148).COLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 13:21
L6	627	(396/419).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 13:21
L7	303	(396/427).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 13:21
L8	753	(396/428).CCLS.	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 13:21

L9	6	(("20030059218") or ("5530420") or ("6170955") or ("6672745") or ("6811330") or ("5096287")).FN.	US-PGPUB; USPAT	OR	OFF	2008/08/03 13:21
L10	1	("7104149").PN.	US-PGPUB; USPAT	OR	OFF	2008/08/03 13:21
L11	1	("7266902").PN.	US-PGPUB; USPAT	OR	OFF	2008/08/03 13:21
L12	15	("20020181881" "20060177098" "4505054" "4536967" "4930226" "4967481" "5293091" "52946519" "5294676" "5992028" "6449858" "6672744" "6798955" "6818824" "6712796"), FN. OR ("7266902") URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/03 13:21
L13	6	("4666114" "5556493" "5898183" "6147753" "6437560" "6581484"). PN. OR ("7104149"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/03 13:21
L14	1	("4930226").PN.	US-PGPUB; USPAT	OR	OFF	2008/08/03 13:21
L15	12	(("4505054") or ("4505067") or ("4967481") or ("5203091") or ("5246519") or ("5894676") or ("5992028") or ("6449858") or ("6798955") or ("681296") or ("6912796") or ("20020181881")).FN.	US-PGPUB; USPAT	OR	OFF	2008/08/03 13:21
L16	1970	(mounting with system) and (sensor with alignment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/03 13:21
L17	221	(mounting with system) and (sensor with alignment) and windshield	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/03 13:21

L18	6	("20030059218" "5096287" "5530420" "6170955" "6672745" "6811330").PN. OR ("7111996").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/03 13:21
L19	1217	(156/94).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 13:21
L20	411	(156/98).CQLS.	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 13:21
L21	0	(sensor with support) and (holder with rework\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/03 13:21
L22	3	(sensor with support with rework\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	FON	2008/08/03 13:21
L23	57	(automobile with sensor with alignment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/03 13:21
L24	15	("20020181881" "20060177098" "4505054" "456967" "4930226" "4967481" "5203091" "52946519" "5894676" "5994028" "6449858" "6672744" "6798955" "6818824" "6612769", P.N. OR ("7266902"). URPN.	US-PCPUB; USPAT; USOCR	OR	ON	2008/08/03
L25	2221	(windshield with attach\$6 with mount\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/03 13:21

L26	158	(windshield with attach\$6 with mount\$4 with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/03 13:21
L27	95	(windshield with attach\$6 with mount\$4 with camera)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/03 13:21
L28	2011	(250/239).CQLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 13:21
L29	1134	(33/613).COLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 13:21
L30	14	(sensor with support) and (holder with milling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/03 13:21
L31	4	(sensor with support) and (repair\$3 with milling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/03 13:21
L32	·O	(mount with repair\$3 with milling) and camera	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/03 13:21
L33	0	(mount with repair\$3 with milling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/08/03 13:21

L34	21	(mount with milling) and camera	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/03 13:21
L35	2	(sensor with mount) and (rework\$3 with milling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/03 13:21
L36	0	(sensor with mount) and (bracket with milling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/03 13:21
L37	2	(("5858143") or ("20050045263")).PN.	US-PGPUB; USPAT	OR	OFF	2008/08/03 13:21
L38	68	(sensor with axis) and (deviation) and (rework or reworking)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/03 14:39
L40	1654	(156/64).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 16:21

^{8/3/08 5:31:01} PM

C:\Documents and Settings\gkoch1\My Documents\EAST\workspaces\us10524783_sensorbonding-alignment.wsp